

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE 81 I 040681 SITE 417

Baluchistan Watterzian 62116
6 Km east of Qila Saifullah on roadside
irrigated by T. weel.

1.620

17	ACCESSION NO. 417	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN 10	HARV. 05	THRESHED/UNTH. ☐	ORIGIN* 2	SAMPLE SIZE 2 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO. 417	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN 03	HARV. 05	THRESHED/UNTH. ☐	ORIGIN* 2	SAMPLE SIZE 2 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO. 417	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN 02	HARV. 05	THRESHED/UNTH. ☐	ORIGIN* 2	SAMPLE SIZE 2 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO. 417	GENUS NICOTIANA	SPECIES/LOCAL NAME TOBACCOM	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN 05	HARV. 10	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

050681

SITE

418

Baluchistan

Akhtarzan

13 miles from Dila Saifullah on Zhob road.

District: Zhob

1550

17	ACCESSION NO. 418	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 1.0	HARV. EAR 0.5	THRESHED/UNTH. ☐	ORIGIN* 2	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO. 418	GENUS CUCUMIS	SPECIES/LOCAL NAME MELO 15 Cucumber	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 0.3	HARV. EAR 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO.	GENUS CITRULLUS	SPECIES/LOCAL NAME VULGARIS	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 0.3	HARV. EAR 0.7	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO.	GENUS Luffa argyrea	SPECIES/LOCAL NAME لوف + جوب	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 0.3	HARV. EAR 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
511	ACCESSION NO.	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 1.2	HARV. EAR 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
612	ACCESSION NO.	GENUS NICOTIANA	SPECIES/LOCAL NAME TOBACCOM	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EAR 0.6	HARV. EAR 1.0	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

SITE

418

7	ACCESSION NO.	GENUS	ALLIUM NIGOTIANA	SPECIES/LOCAL NAME	CEPA TABACCO	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
									0.1	0.7	T	3	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
8	ACCESSION NO.	GENUS	HORDEUM	SPECIES/LOCAL NAME	VULGARE	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
									1.1	0.5	T	3	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
9	ACCESSION NO.	GENUS		SPECIES/LOCAL NAME		WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
													1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
10	ACCESSION NO.	GENUS		SPECIES/LOCAL NAME		WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
													1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS		SPECIES/LOCAL NAME		WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
													1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS		SPECIES/LOCAL NAME		WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
													1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

204

PNE

050681

SITE

419

Baluchistan Gawal Haider Zai 62170
27 miles from Qila Saifullah and 2 km away from
road.

1520

17	ACCESSION NO. 419	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE (Spin white)	WILD/CULT. C	IRR/DRY D	SUMM/WINT. W	SOWN 1.0	HARV. 0.5	THRESHED/UNTH. T	ORIGIN* 2	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO. 419	GENUS CARUM	SPECIES/LOCAL NAME C. OPTICUM (Pine)	WILD/CULT. C	IRR/DRY L	SUMM/WINT. S	SOWN 1.2	HARV. 0.5	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME Vulgaris Red spin. 5 25	WILD/CULT. C	IRR/DRY D	SUMM/WINT. W	SOWN 1.0	HARV. 0.5	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO. 419	GENUS ZEA	SPECIES/LOCAL NAME MAYS	WILD/CULT. C	IRR/DRY L	SUMM/WINT. S	SOWN 0.6	HARV. 0.0	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
511	ACCESSION NO. PHASEOLUS	GENUS MUNGO	SPECIES/LOCAL NAME Pulse جوت	WILD/CULT. C	IRR/DRY D	SUMM/WINT. S	SOWN 0.6	HARV. 0.9	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

DNE 81

I

050681

SITE
420

Baluchistan

ALLOZAI³
~~Allozai~~

14 miles from Orla Saifullah on way to Zhob

District: Zhob

1550

6' CA Snow fall but not certain every

year

17	ACCESSION NO. 420	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 1.0	HARV. EAL 0.5	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
28	ACCESSION NO.	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 0.1	HARV. EAL 0.5	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
39	ACCESSION NO.	GENUS LEA	SPECIES/LOCAL NAME MAYS	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 0.7	HARV. EAL 0.9	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
410	ACCESSION NO.	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 1.2	HARV. EAL 0.5	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
511	ACCESSION NO.	GENUS ALLIUM	SPECIES/LOCAL NAME CEPA	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 0.4	HARV. EAL 0.9	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
612	ACCESSION NO.	GENUS NICOTIANA	SPECIES/LOCAL NAME TOBACCOA	WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EAL 0.6	HARV. EAL 1.0	THRESHED/UNTH. ☒	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

206

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

050681

SITE
421

Baluchistan

Kacch Ahmeezai

DEPT. OF AGRIC.

2006

10/10/2006

1800

22 miles short of Kohat on way from Qila

Sangfullah

17	ACCESSION NO. 421	GENUS LEA	SPECIES/LOCAL NAME MAYS				
WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EARL 07	HARV. EARL 1.0	THRESHED/UNTH. ☐	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
28	ACCESSION NO. 421	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARIS				
WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EARL 02	HARV. EARL 0.5	THRESHED/UNTH. ☐	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
39	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARIS				
WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EARL 1.0	HARV. EARL 0.5	THRESHED/UNTH. ☐	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
410	ACCESSION NO.	GENUS CITRULLUS	SPECIES/LOCAL NAME VULGARIS				
WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EARL 0.3	HARV. EARL 0.7	THRESHED/UNTH. ☐	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
511	ACCESSION NO.	GENUS Melons?	SPECIES/LOCAL NAME				
WILD/CULT. ☒	IRR/DRY ☒	SUMM/WINT. ☒	SOWN EARL 0.3	HARV. EARL 0.7	THRESHED/UNTH. ☐	ORIGIN* ☒	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL	HARV. EARL	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

I

050681

SITE
422

Baluchistan

INGANGAI

62259

15 miles short of Loralai

1700

Fert valley

17	ACCESSION NO. 422	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
C	D	W	EARL 1.0	EARL 0.5	T	3	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO. 422	GENUS HOLDEUM TRITICUM	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
C	T	W	EARL 1.1	EARL 0.5	T	3	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO. 422	GENUS CAPSICUM	SPECIES/LOCAL NAME ANNUUM				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
C	I	S	EARL 0.5	EARL 0.9	T	3	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

050681

SITE

423

Baluchistan

SHAKAREZ^H

62271

1/2 km off the road to Loralai short of six miles of
Loralai

1550

Flat

Bunt to wheat a quite serious problem
in the Valley.

17	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		HORDEUM	VULGARE				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
C	I	S	1.0	0.5	T	2	3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		TRITICUM	VULGARE				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
C	I	S	1.0	0.5	T	2	3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
9	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
							1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
							1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
							1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
							1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

209

PNE

I

060681

SITE

424

Baluchistan Dargai Sargarah 62236
37 miles from Koralai and 7 miles from metalled
Road in Spacraagha.

1965

flat

17	ACCESSION NO. 424	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. C	IRR/DRY I	SUMM/WINT. W	SOWN EAL 1.2	HARV. EAL 0.5	THRESHED/UNTH. T	ORIGIN* 2	SAMPLE SIZE 3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. C	IRR/DRY I	SUMM/WINT. W	SOWN EAL 1.0	HARV. EAL 0.5	THRESHED/UNTH. T	ORIGIN* 2	SAMPLE SIZE 3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO.	GENUS ZEA	SPECIES/LOCAL NAME MAYS	WILD/CULT. C	IRR/DRY I	SUMM/WINT. S	SOWN EAL 0.7	HARV. EAL 1.0	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
910	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. C	IRR/DRY I	SUMM/WINT. S	SOWN EAL 1.2	HARV. EAL 0.5	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. 	IRR/DRY 	SUMM/WINT. 	SOWN EAL	HARV. EAL	THRESHED/UNTH. 	ORIGIN* 	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. 	IRR/DRY 	SUMM/WINT. 	SOWN EAL	HARV. EAL	THRESHED/UNTH. 	ORIGIN* 	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE 81 I

060681

SITE
425

Baluchistan

Chinjin

62350

50 miles from Loralai

2160

Two crops of Onion (1) sown in NOV and harvested
in April, the second April/May to Oct/NOV.

17	ACCESSION NO.	GENUS ALLIUM	SPECIES/LOCAL NAME CEPA	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☒	SOWN EARL 05	HARV. EARL 11	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
28	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME AESTIVUM Vulgate	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☒	SOWN EARL 11	HARV. EARL 06	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
39	ACCESSION NO.	GENUS ZEA	SPECIES/LOCAL NAME MAYS	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☒	SOWN EARL 07	HARV. EARL 10	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
410	ACCESSION NO.	GENUS HABEUM 2	SPECIES/LOCAL NAME	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☒	SOWN EARL 12	HARV. EARL 05	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
511	ACCESSION NO.	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM ONJUS	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☒	SOWN EARL 01	HARV. EARL 05	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☒ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL	HARV. EARL	THRESHED/UNTH. ☐	ORIGIN* ☐	SAMPLE SIZE ☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE 81

I

060681

SITE
426

Baluchistan

Spinzandi

3 mile from Zhana Spacragha in the South

2280

winter and Spring wheats are separate and grown
Oct/Nov and February, and both get rusts

17	ACCESSION NO. 426	GENUS Triticum	SPECIES/LOCAL NAME mays 'SARRA' '100 days'				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	☐ 05	☐ 1.0	☐ T	☐ 3	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
28	ACCESSION NO.	GENUS Triticum	SPECIES/LOCAL NAME mays 'Garam' 'hot' 90 days				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐ 1/D	☐	☐ 06	☐ 1.0	☐ T	☐ 3	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
39	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME FESTIVUM SARRA				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐ 1/D	☐	☐ 1.1	☐ 0.7	☐ T	☐ 3	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
410	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME FESTIVUM TAUDAH				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐ 1/D	☐	☐ 1.1	☐ 0.7	☐ T	☐ 3	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

I

070681

SITE

427

Baluchistan ZARGOON
3 km South of Khanjoor.

DISTRICT KANUN

LONG 66° 40' E

LAT 25° 40' N

1890

17	ACCESSION NO. 427	GENUS CITRUM	SPECIES/LOCAL NAME COPTICUM	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 0.2	HARV. EARL 0.5	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO. 427	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 0.3	HARV. EARL 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO. 427	GENUS LEA	SPECIES/LOCAL NAME MAYS	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 0.6	HARV. EARL 0.9	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO. 427	GENUS NICOTIANA	SPECIES/LOCAL NAME TOBACCOM earlier	WILD/CULT. ☒	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 0.6	HARV. EARL 0.9	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
511	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME VULGARE	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 0.3	HARV. EARL 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
612	ACCESSION NO.	GENUS TRITICUM	SPECIES/LOCAL NAME	WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐	SOWN EARL 1.0	HARV. EARL 0.6	THRESHED/UNTH. ☐	ORIGIN* 3	SAMPLE SIZE 3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

SITE

427

7	ACCESSION NO. 427	GENUS ALLIUM	SPECIES/LOCAL NAME CEPA	WILD/CULT. C	IRR/DRY I	SUMM/WINT. S	SOWN EML 0.6	HARV. EML 0.9	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
8	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN EML	HARV. EML	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
9	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN EML	HARV. EML	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN EML	HARV. EML	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN EML	HARV. EML	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME	WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN EML	HARV. EML	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

I

090681

SITE
428

Baluchistan

Door Tawar

69956

(ISMAILI)
2 miles from Ismaili railway station and
ten miles from Tak Mach. 10 years ago brought from Kharah.

800

7	ACCESSION NO. 428	GENUS TRITICUM	SPECIES/LOCAL NAME AESTIVUM				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	EARL 10	EARL 65	☒	3	☒ 1 SINGLE PLANT 3 LARGE POP. ☒ 2 SMALL POP.
8	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	EARL	EARL	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
9	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	EARL	EARL	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	EARL	EARL	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	EARL	EARL	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	EARL	EARL	☐	☐	☐ 1 SINGLE PLANT 3 LARGE POP. ☐ 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

090681

SITE

429

Baluchistan

YAK MACH

62970

70 miles from Nok Kundi

760

Wheat and barley grown together. Two samples
of wheat, one from east other from west. East is partly
irrigated by T. well.

ACCESSION NO. 429			GENUS TRITICUM			SPECIES/LOCAL NAME AESTIVUM		
WILD/CULT. C	IRR/DRY D	SUMM/WINT. W	SOWN EAL 1.0	HARV. EAL 0.4	THRESHED/UNTH. T	ORIGIN* 5	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	
ACCESSION NO. 28 429			GENUS TRITICUM			SPECIES/LOCAL NAME AESTIVUM		
WILD/CULT. C	IRR/DRY D	SUMM/WINT. W	SOWN EAL 1.0	HARV. EAL 0.4	THRESHED/UNTH. T	ORIGIN* 3	SAMPLE SIZE 2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	
ACCESSION NO. 9			GENUS			SPECIES/LOCAL NAME		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	
ACCESSION NO. 10			GENUS			SPECIES/LOCAL NAME		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	
ACCESSION NO. 11			GENUS			SPECIES/LOCAL NAME		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	
ACCESSION NO. 12			GENUS			SPECIES/LOCAL NAME		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

216

PAIE

81

I

09 06 81

SITE

430

Baluchistan

Khurmaga

25 miles from Machh Khel in the east. winters are severe, but no snow fall

555

flat

July rain moisture is maintained free
Spring times of wheat in Oct/Nov. Date Palm is the main + climax
Vegetation.

ACCESSION NO. 430	GENUS TRITICUM	SPECIES/LOCAL NAME AESTIVUM
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN 1.0	HARV. 0.5	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

ACCESSION NO. 28	GENUS CITRULLUS	SPECIES/LOCAL NAME VULGARIS 70 days crop
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN 0.5	HARV. 0.7	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

ACCESSION NO. 9	GENUS	SPECIES/LOCAL NAME
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN	HARV.	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

ACCESSION NO. 10	GENUS	SPECIES/LOCAL NAME
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN	HARV.	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

ACCESSION NO. 11	GENUS	SPECIES/LOCAL NAME
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN	HARV.	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

ACCESSION NO. 12	GENUS	SPECIES/LOCAL NAME
WILD/CULT. ☐	IRR/DRY ☐	SUMM/WINT. ☐
SOWN	HARV.	THRESHED/UNTH. ☐
ORIGIN* ☐	SAMPLE SIZE 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.	

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

217

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

I

690681

SITE

431

Baluchistan

KITGAI

27 miles from Macch Khel.

550

Same as 430

#	ACCESSION NO. 431	GENUS TRITICUM	SPECIES/LOCAL NAME AESTIVUM				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
E	D	W	10	05	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

28	ACCESSION NO. 431	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
E	D	S	12	04	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

39	ACCESSION NO. 431	GENUS HORDEUM	SPECIES/LOCAL NAME VULGARE				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
E	D		10	04	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP. very small

410	ACCESSION NO. 431	GENUS CITRULLUS	SPECIES/LOCAL NAME VULGARIS				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
E	D	S	04	08	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

511	ACCESSION NO.	GENUS CANTALOUPE	SPECIES/LOCAL NAME 012/2 mink melon				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
E	D	S	04	08	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
							2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNB

I

090681

SITE

432

Baluchistan

MARYAM

31 miles from Mashk Khel in the east.
Same as 430

550

ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
			SORGHUM			VULGARIS		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☒	☒	☒	☒	☒	☒	☒	☒	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
8								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
9								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
10								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
11								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
12								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PNE

81

I

100681

SITE

433

Pakistan

KANDTAGEZ

29 miles from Mashkel in North East.

Moisture was only available at sowing time and later no rain/irrigation was available, but still the crop matured. Barley endred is separated from wheat.

4	ACCESSION NO. 433	GENUS TRITICUM	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	☒	☒	☒	☒	☒
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							
28	ACCESSION NO. 433	GENUS HORDEUM	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	☒	☒	☒	☒	☒
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							
39	ACCESSION NO.	GENUS CARUM	SPECIES/LOCAL NAME COPTICUM				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	☒	☒	☒	☒	☒
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							
410	ACCESSION NO.	GENUS Musk Melon	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	☒	☒	☒	☒	☒
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
1 SINGLE PLANT 3 LARGE POP.							
2 SMALL POP.							

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

100681

SITE

434

Baluchistan

SORRO

25 miles south east of Ladhkaghst (Mashkheh)

500

Flav

Small quantity of barley mixed with wheat
Barley grown occasionally for feed.

ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
			Triticum			aestivum		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☒	☒	☒	☒	☒	☒	☒	☒	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
28			CITRULLUS			VULGARIS 70 days Grop		
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☒	☒	☒	☒	☒	☒	☒	☒	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
9								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
10								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
11								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	
ACCESSION NO.			GENUS			SPECIES/LOCAL NAME		
12								
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE	
☐	☐	☐	☐	☐	☐	☐	☐	

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE

81

I

100681

SITE

435

Baluchistan

Tulmohamado
(Gowalshatop)

63246

15 miles from Gowalshatop in the east.

A village mainly dependent on date palms
cultivation area 15 miles in the east

+	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		TRITICUM	VULGARE				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☒	☒	☒	☒	☒	☒	☒
8	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
9	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

PNE 81

I

110681

SITE
436

63517

Baluchistan

KIRTAKA

63488

40 miles north of Taftan

950

flat

↓	ACCESSION NO. 436	GENUS TRITICUM	SPECIES/LOCAL NAME KIRTAKA				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
8	ACCESSION NO.	GENUS HORDEUM	SPECIES/LOCAL NAME KIRTAKA				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO.	GENUS Triticum	SPECIES/LOCAL NAME Kushkaba				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO.	GENUS barley	SPECIES/LOCAL NAME Kushkaba				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	☐
			EARL	EARL			1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

P. 1 E

I

110181

SITE

437

Baluchistan

KACHAO

60 miles nmk of TAFTAN

DISTRICT CHAGHI

LONG 67° 12' E
LAT 29° 26' N

1250

Snow fall during winter water scarcity a
big problem. Fig, Pomegranate, Pistachio, are grown as gardens. Apples
etc. do not grow. Fig old trees showing high fruit drop.

7	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		Mixed Melons	(mixture)				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	05	0.8	T	3	3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
28	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		Hordeum	vulgare				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	1.2	0.5	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
39	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
	437	Triticum	Aestivum DAYAK				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	1.0	0.5	T	2	3 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
410	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
		Triticum	Aestivum Sistani (Iran)				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☒	☐	☐	1.0	0.5	T	3	2 1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐					1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐					1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

SITE

7	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
8	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
9	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
10	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
11	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.
12	ACCESSION NO. _____	GENUS _____	SPECIES/LOCAL NAME _____				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.

PLANT GENETIC RESOURCES DIVISION, PAKISTAN AGRICULTURAL RESEARCH COUNCIL,
ISLAMABAD, PAKISTAN

SITE

--	--	--	--	--

7	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

8	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

9	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

10	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

11	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

12	ACCESSION NO.	GENUS	SPECIES/LOCAL NAME				
WILD/CULT.	IRR/DRY	SUMM/WINT.	SOWN	HARV.	THRESHED/UNTH.	ORIGIN*	SAMPLE SIZE
☐	☐	☐	☐	☐	☐	☐	1 SINGLE PLANT 3 LARGE POP. 2 SMALL POP.

* 1: FIELD, 2: THRESHING PLACE, 3: FARM STORAGE, 4: EXPERIMENTAL STATION, 5: OTHER.