

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: campestris

SUBSPECIES: _____

COLLECTOR'S NUMBER: 233COLLECTING INSTITUTE: Hort. Res. Inst.DATE OF COLLECTION: 23 May 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	(8)

STATUS OF SAMPLE (circle one) Hort. Res. Inst.

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: ErakeyNUMBER OF PLANTS SAMPLED: Unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	(2)	both	3
------------	---	------	-----	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: _____

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
SPECIES: oleracea
SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 232
COLLECTING INSTITUTE: Hort. Res. Inst.
DATE OF COLLECTION: 23 May, 1985

COUNTRY OF COLLECTION: Egypt
PROVINCE/STATE: Giza
LOCATION OF COLLECTION SITE
nearest town/village: Giza
distance (in Km): _____
direction: _____

LATITUDE OF SITE: 30° (N) S
LONGITUDE OF SITE: 31° (E) W
ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
wild 1 village market 5
farmland 2 commercial market 6
farmstore 3 institute 7
backyard 4 other (specify) (8)

STATUS OF SAMPLE (circle one) Hort. Res. Inst.
wild 1 primitive cultivar/landrace (4)
weedy 2 advanced cultivar (bred) 5
breeder's line 3 other (specify) 6

LOCAL NAME: Snowball

NUMBER OF PLANTS SAMPLED: Unknown

PHOTOGRAPH (circle one): yes (no)
Photo number: _____

TYPE OF SAMPLE (circle one)
vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one) STONINESS (circle one)

level	1	none	1
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

SOIL TEXTURE (circle one) DRAINAGE (circle one)

sand	1	poor	1
loam	2	moderate	2
clay	3	good	3
silt	4	excessive	4
highly organic	5		

OTHER OBSERVATIONS: _____

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: white cabbageCOLLECTOR'S NUMBER: 231COLLECTING INSTITUTE: Hort.Res.Inst. GizaDATE OF COLLECTION: 23 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 30° N SLONGITUDE OF SITE: 31° E W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>8</u>

STATUS OF SAMPLE (circle one) Hort. Res. Inst.

wild	1	primitive cultivar/landrace	<u>4</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: Balady improvedNUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes no

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed 2 both 3HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: _____

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: campestrisSUBSPECIES: turnipCOLLECTOR'S NUMBER: 230COLLECTING INSTITUTE: Hort.Res.Inst. GizaDATE OF COLLECTION: 22 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza/Almohtamadeyadistance (in Km): 3direction: West of GizaLATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: SoltaniNUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:Ahmed Mohammed shama

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 228
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 22 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Giza
 LOCATION OF COLLECTION SITE

nearest town/village: Giza/Almohtamadeya
 distance (in Km): 3
 direction: West of Giza

LATITUDE OF SITE: 30° (N) S
 LONGITUDE OF SITE: 30° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>8</u>

STATUS OF SAMPLE (circle one) . seed shop
 wild 1 primitive cultivar/landrace 4
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: BaladyNUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed 2 both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: Seed shop owner:
Ahmed Mohammed Shama

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica

SPECIES: oleracea

SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 224

COLLECTING INSTITUTE: Hort.Res.Inst., Giza

DATE OF COLLECTION: 22 May, 1985

COUNTRY OF COLLECTION: Egypt

PROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza/Nahia

distance (in Km): 8

direction: West of Giza

LATITUDE OF SITE: 30° (N) S

LONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>8</u>
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>4</u>
weedy	2	advanced cultivar (bred)	5

breeder's line	3	other (specify)	6
----------------	---	-----------------	---

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:

Ali Esla

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 222
 COLLECTING INSTITUTE: Hort.Res.Inst.,Giza
 DATE OF COLLECTION: 22 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Giza
 LOCATION OF COLLECTION SITE
 nearest town/village: Giza/Nahia
 distance (in Km): 8
 direction: West of Giza

LATITUDE OF SITE: 30° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>8</u>
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>4</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>2</u>	both	3
------------	---	------	----------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:Ali Eqla

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
SPECIES: oleracea
SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 220
COLLECTING INSTITUTE: Hort.Res.Inst., Giza
DATE OF COLLECTION: 22 May, 1985

COUNTRY OF COLLECTION: Egypt
PROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE
nearest town/village: Giza/Manile Sheha
distance (in Km): 7
direction: South of Giza

LATITUDE OF SITE: 30° (N) S
LONGITUDE OF SITE: 31° (E) W
ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)
wild 1 village market 5
farmland (2) commercial market 6
farmstore 3 institute 7
backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
wild 1 primitive cultivar/landrace (4)
weedy 2 advanced cultivar (bred) 5
breeder's line 3 other (specify) 6

LOCAL NAME: Sultaney (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
Photo number: _____

TYPE OF SAMPLE (circle one)
vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: May; transpl. June

HARVEST MONTH: December

USAGE (specify): vegetable

DISEASES AND PESTS (specify): aphids

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	(3)
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	(2)
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

OTHER OBSERVATIONS: Farmer: Mr. Ali Hanafy

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cabbageCOLLECTOR'S NUMBER: 219COLLECTING INSTITUTE: Hort.Res.Inst.,GizaDATE OF COLLECTION: 22 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza/Manile Shehadistance (in Km): 7direction: South of GizaLATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	(2)	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: improved BaladyNUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	(yes)	no
terraced (circle one)	yes	(no)

SOWING MONTH: April-Aug.;transpl. after 40 daysHARVEST MONTH: 80 days after plantingUSAGE (specify): vegetable + picklingDISEASES AND PESTS (specify): aphids,
cotton ball worm

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	(3)
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	(2)
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

OTHER OBSERVATIONS: Farmer: Mr. Ali Hanafy

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cauliflowerCOLLECTOR'S NUMBER: 218COLLECTING INSTITUTE: Hort.Res.Inst., GizaDATE OF COLLECTION: 22 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Giza

LOCATION OF COLLECTION SITE

nearest town/village: Giza/Manile Shehadistance (in Km): 7direction: South of GizaLATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° (E) WALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	(2)	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: Tobi (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	(yes)	no
terraced (circle one)	yes	(no)

SOWING MONTH: May, transpl. JuneHARVEST MONTH: JanuaryUSAGE (specify): vegetableDISEASES AND PESTS (specify): aphidsASSOCIATED WILD AND WEEDY SPECIES AND CROPS
(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	(3)
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	(2)
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

highly organic 5

OTHER OBSERVATIONS: Farmer Mr. Ali Hanafy

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: campestrisSUBSPECIES: turnipCOLLECTOR'S NUMBER: 213COLLECTING INSTITUTE: Hort.Res.Inst.GizaDATE OF COLLECTION: 21 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Cairo

LOCATION OF COLLECTION SITE

nearest town/village: Cairo

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 30° (N) SLONGITUDE OF SITE: 31° 30' (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: _____

PHOTOGRAPH (circle one): yes no

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:Ahmed Ali El Bambya Ahmed Maher SquareBab El Khalk, Cairo

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 212
 COLLECTING INSTITUTE: Hort.Res.Inst. Giza
 DATE OF COLLECTION: 21 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Cairo
 LOCATION OF COLLECTION SITE
 nearest town/village: Cairo
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 30° (N) S
 LONGITUDE OF SITE: 31° 30' (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: _____

PHOTOGRAPH (circle one): yes no
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop owner:Ahmed Ali El Bamby2 Ahmed Maher SquareBab El Khalk, Cairo

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 191
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 15 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Gharbia
 LOCATION OF COLLECTION SITE
 nearest town/village: Tanta
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 31° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

seed shop

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: Balady improvedNUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	2	both	3
------------	---	------	---	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant
 samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Seed shop: Fl. Nene

Medan El Saa
Tanta

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: campestrisSUBSPECIES: turnipCOLLECTOR'S NUMBER: 190COLLECTING INSTITUTE Hort. Res. Inst. GizaDATE OF COLLECTION: 15 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Gharbia

LOCATION OF COLLECTION SITE

nearest town/village: Tanta

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 31° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no

irrigated (circle one) yes no

transplanted (circle one) yes no

terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strainSeed shop: El NaneaMedan El SaaTanta

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cabbageCOLLECTOR'S NUMBER: 182COLLECTING INSTITUTE: Hort.Res.Inst.,GizaDATE OF COLLECTION: 15 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Dakahlia

LOCATION OF COLLECTION SITE

nearest town/village: El Mansura

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 31° (N) SLONGITUDE OF SITE: 31° 30' (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strainSeed shop: Ali SlemanSok El-KagatEl Mansura

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 181
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 15 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Dakahlia
 LOCATION OF COLLECTION SITE
 nearest town/village: El Mansura
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 31° (N) S
 LONGITUDE OF SITE: 31° 30' (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: SultanNUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strianSeed shop: Ali SlemanSok El-KagatEl Mansura

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 170
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 13 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Menufia

LOCATION OF COLLECTION SITE
 nearest town/village: Shebin el-Koum
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace 4
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: _____

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strain

Seed shop: Company of Menufia for

seeds

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cabbageCOLLECTOR'S NUMBER: 163COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 13 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Menufia

LOCATION OF COLLECTION SITE

nearest town/village: El Suhada/Kafrdistance (in Km): 9 Hegazydirection: East of SuhadaLATITUDE OF SITE: 30° 30' N SLONGITUDE OF SITE: 31° E WALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: July, transpl. AugustHARVEST MONTH: FebruaryUSAGE (specify): vegetable + picklingDISEASES AND PESTS (specify): aphids,cotton worm

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6

(4) other (specify) (7) Nile Delta

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	(2)
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 161
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: _____

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Menufia
 LOCATION OF COLLECTION SITE
 nearest town/village: El-Suhada/Kafr-H
 distance (in Km): 9 Hegazy
 direction: East of Suhada

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) (yes) no
 transplanted (circle one) (yes) no
 terraced (circle one) yes (no)

SOWING MONTH: July, transpl. August

HARVEST MONTH: February

USAGE (specify): vegetable + pickling

DISEASES AND PESTS (specify): aphids, cotton
worms

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) (7) Nile Delta

SITE (circle one) STONINESS (circle one)

level (1) none (1)
 slope 2 low 2
 summit 3 medium 3
 depression 4 rocky 4

SOIL TEXTURE (circle one) DRAINAGE (circle one)

sand 1 poor 1
 loam (2) moderate 2
 clay 3 good (3)
 silt 4 excessive 4
 highly organic 5

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 159
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 13 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Menufia
 LOCATION OF COLLECTION SITE

nearest town/village: El-Suhada/Gizarh
 distance (in Km): 8 El hagar
 direction: East of El Suhada

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	(2)	both	3
------------	---	------	-----	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	(yes)	no
terraced (circle one)	yes	(no)

SOWING MONTH: August, transpl. October

HARVEST MONTH: January

USAGE (specify): vegetable + pickling

DISEASES AND PESTS (specify): aphids
cotton worms

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	(7) Nile Delta

SITE (circle one) STONINESS (circle one)

level	(1)	none	(1)
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

SOIL TEXTURE (circle one) DRAINAGE (circle one)

sand	1	poor	1
loam	(2)	moderate	2
clay	3	good -	(3)
silt	4	excessive	4
highly organic	5		

OTHER OBSERVATIONS: Local strain

Sowing from Agust till October.

Transplanting after 45 days

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 155
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 12 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Charbia
 LOCATION OF COLLECTION SITE
 nearest town/village: Mehala El Kobra/
 distance (in Km): 3 Bolkena
 direction: South of Mehala

LATITUDE OF SITE: 31° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	<u>(3)</u>	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: GansuriNUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	<u>(yes)</u>	no
transplanted (circle one)	<u>(yes)</u>	no
terraced (circle one)	yes	<u>(no)</u>

SOWING MONTH: August, transpl. Sept.HARVEST MONTH: NovemberUSAGE (specify): vegetable + pickling

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6

other (specify) (7) Nile Delta

SITE (circle one)

level	<u>(1)</u>
slope	2
summit	3
depression	4

STONINESS (circle one)

none	<u>(1)</u>
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	<u>(3)</u>
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	<u>(3)</u>
excessive	4

OTHER OBSERVATIONS: Local strainBolts after to early sowing

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleacea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 154
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 12 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Gharbia

LOCATION OF COLLECTION SITE
 nearest town/village: Mehala El Kobra/
Bolkena
 distance (in Km): 3
 direction: South-West of Mehala

LATITUDE OF SITE: 31° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland (2) commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: 2

PHOTOGRAPH (circle one): (yes) no
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) (yes) no
 transplanted (circle one) (yes) no
 terraced (circle one) yes (no)

SOWING MONTH: May, transpl. June

HARVEST MONTH: November

USAGE (specify): vegetable + pickling

DISEASES AND PESTS (specify): aphids, cater-
pillars

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) (7) Nile Delta

SITE (circle one) STONINESS (circle one)

level (1) none (1)
 slope 2 low 2
 summit 3 medium 3
 depression 4 rocky 4

SOIL TEXTURE (circle one) DRAINAGE (circle one)

sand 1 poor 1
 loam 2 moderate 2
 clay (3) good - (3)
 silt 4 excessive 4
 highly organic 5

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 153
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 12 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Gharbia

LOCATION OF COLLECTION SITE
 nearest town/village: Tanta/Manschat
 distance (in Km): 10 ganzur
 direction: South of Tanta

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) (yes) no
 transplanted (circle one) (yes) no
 terraced (circle one) yes (no)

SOWING MONTH: April, transpl. June

HARVEST MONTH: November

USAGE (specify): vegetable + pickling

DISEASES AND PESTS (specify): thrips, aphids

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) (7) Nile Delta

SITE (circle one)

level (1)
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none (1)
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay (3)
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good - (3)
 excessive 4

OTHER OBSERVATIONS: Local strain
Farmer: Ali zeen El deen

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 152
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 12 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Charbia
 LOCATION OF COLLECTION SITE
 nearest town/village: Tanta/Manschat
 distance (in Km): 10 ganzur
 direction: South of Tanta

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: noNUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	(2)	both	3
------------	---	------	-----	------	---

HERBARIUM SAMPLE (circle one): yes no

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	<u>yes</u>	<u>no</u>
irrigated (circle one)	(yes)	<u>no</u>
transplanted (circle one)	(yes)	<u>no</u>
terraced (circle one)	<u>yes</u>	(no)

SOWING MONTH: April, transpl. JuneHARVEST MONTH: NovemberUSAGE (specify): vegetableDISEASES AND PESTS (specify): thrips, aphids

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	(7) Nile Delta

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	(3)
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

highly organic 5

OTHER OBSERVATIONS:

Own selection of Snow Ball (20 years old)
Farmer: Ali zeen El deen

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 151
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 12 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Gharbia
 LOCATION OF COLLECTION SITE
 nearest town/village: Tanta/Manschat
 distance (in Km): 10 ganzur
 direction: South of Tanta

LATITUDE OF SITE: 30° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	(2)	both	3
------------	---	------	-----	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	yes	(no)
terraced (circle one)	yes	(no)

SOWING MONTH: OctoberHARVEST MONTH: DecemberUSAGE (specify): picklingDISEASES AND PESTS (specify): no

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6

other (specify) (7) Nile Delta

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	(3)
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

OTHER OBSERVATIONS: Local strainFarmer: Ali zeen El deen

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 143
 COLLECTING INSTITUTE Hort.Res.Inst., Giza
 DATE OF COLLECTION: 9 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Beni-Suef
 LOCATION OF COLLECTION SITE
 nearest town/village: Beni-Suef
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 29° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8
 . seed shop

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace 4
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain

No information on cultural practices etc.

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cabbageCOLLECTOR'S NUMBER: 142COLLECTING INSTITUTE: Hort. Res. Inst., GizaDATE OF COLLECTION: 9 May, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Beni Suef

LOCATION OF COLLECTION SITE

nearest town/village: Beni Suef

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 29° (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

highly organic 5

OTHER OBSERVATIONS: Local strainno information on cultural practices etc.

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 138
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 9 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Beni-Suef
 LOCATION OF COLLECTION SITE
 nearest town/village: El Fashn
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 29° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Shop owner: Mohamed Mohamed A.
Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 135
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 8 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Minya
 LOCATION OF COLLECTION SITE
 nearest town/village: Beni-Mazâr
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 28° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) (8)
 seed shop

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain
Seed shop: Gaber Sidhom

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 134
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 8 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Minya
 LOCATION OF COLLECTION SITE
 nearest town/village: Beni-Mazâr
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 28° 30' (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) (8)
 . seed shop

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain
Seed shop: Gaber Sidhom

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 122
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 7 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Minya
 LOCATION OF COLLECTION SITE
 nearest town/village: Mallawi/Derwah
 distance (in Km): 12
 direction: West of Mallawi

LATITUDE OF SITE: 28° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	<u>(3)</u>	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	<u>(yes)</u>	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	<u>(no)</u>

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): vegetable + picklingDISEASES AND PESTS (specify): aphids

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	<u>(7)</u> Nile Valley

SITE (circle one)

level	<u>(1)</u>
slope	2
summit	3
depression	4

STONINESS (circle one)

none	<u>(1)</u>
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	<u>(2)</u>
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	<u>(3)</u>
excessive	4

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica

SPECIES: oleracea

SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 121

COLLECTING INSTITUTE: Hort. Res. Inst., Giza

DATE OF COLLECTION: 7 May, 1985

COUNTRY OF COLLECTION: Egypt

PROVINCE/STATE: Minya

LOCATION OF COLLECTION SITE

nearest town/village: Minay

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 28⁰ (N) S

LONGITUDE OF SITE: 31⁰ (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	<u>(8)</u>
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 118
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 7 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Minya
 LOCATION OF COLLECTION SITE
 nearest town/village: Minya
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 28° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) (8) seed shop

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: cabbageCOLLECTOR'S NUMBER: 112COLLECTING INSTITUTE: Hort.Re.Inst.GizaDATE OF COLLECTION: 6 May, 1985

COUNTRY OF COLLECTION: _____

PROVINCE/STATE: Assiut

LOCATION OF COLLECTION SITE

nearest town/village: Manfalut/Nazletdistance (in Km): 5direction: North of ManfalutLATITUDE OF SITE: 27° 30' (N) SLONGITUDE OF SITE: 31° (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	(yes)	no
terraced (circle one)	yes	(no)

SOWING MONTH: July, August transpl.HARVEST MONTH: JanuaryUSAGE (specify): vegetable and for picklingDISEASES AND PESTS (specify): aphids, beetles

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	(7) Nile Valley

SITE (circle one)

level	(1)	none	(1)
slope	2	low	2
summit	3	medium	3
depression	4	rocky	4

STONINESS (circle one)

SOIL TEXTURE (circle one)

sand	1	poor	1
loam	(2)	moderate	2
clay	3	good	(3)
silt	4	excessive	4
highly organic	5		

DRAINAGE (circle one)

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 84
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 2 May, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Asyut
 LOCATION OF COLLECTION SITE
 nearest town/village: Asyut
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 27° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) 8
seed shop

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace 4
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed 2 both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain from
Al Khodary Seed Co.

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 73
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 30 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Asyut
 LOCATION OF COLLECTION SITE
 nearest town/village: Asyut
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 27° (N) S
 LONGITUDE OF SITE: 31° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore 3 institute 7
 backyard 4 other (specify) (8)

STATUS OF SAMPLE (circle one) seed shop
 wild 1 primitive cultivar/landrace 4
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: Sabieny

NUMBER OF PLANTS SAMPLED: _____

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	yes	no
transplanted (circle one)	yes	no
terraced (circle one)	yes	no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS
 (specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Shop owner: Mr. Youssef Bebawy
Cauliflower from Cairo; heading within
70 days (Sabieny = 70 days)

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 64
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 29 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Sohag
 LOCATION OF COLLECTION SITE
 nearest town/village: El Manshah
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 26° 30' (N) S
 LONGITUDE OF SITE: 32° (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) (yes) no
 transplanted (circle one) yes (no)
 terraced (circle one) yes (no)

SOWING MONTH: October

HARVEST MONTH: December

USAGE (specify): pickling

DISEASES AND PESTS (specify): aphids

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) (7) Nile Valley

SITE (circle one) STONINESS (circle one)

level (1) none (1)
 slope 2 low 2
 summit 3 medium 3
 depression 4 rocky 4

SOIL TEXTURE (circle one) DRAINAGE (circle one)

sand 1 poor 1
 loam (2) moderate 2
 clay 3 good - (3)
 silt 4 excessive 4
 highly organic 5

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cabbage

COLLECTOR'S NUMBER: 53
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 29 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Sohag
 LOCATION OF COLLECTION SITE
 nearest town/village: Tima
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 27° (N) S
 LONGITUDE OF SITE: 31° 30' (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

highly organic 5

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: oleracea
 SUBSPECIES: cauliflower

COLLECTOR'S NUMBER: 52
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 29 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Sohag
 LOCATION OF COLLECTION SITE
 nearest town/village: Tima
 distance (in Km): _____
 direction: _____

LATITUDE OF SITE: 27⁰ (N) S
 LONGITUDE OF SITE: 31⁰ 30 (E) W
 ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)
 wild 1 village market 5
 farmland 2 commercial market 6
 farmstore (3) institute 7
 backyard 4 other (specify) 8

STATUS OF SAMPLE (circle one)
 wild 1 primitive cultivar/landrace (4)
 weedy 2 advanced cultivar (bred) 5
 breeder's line 3 other (specify) 6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)
 vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes no
 irrigated (circle one) yes no
 transplanted (circle one) yes no
 terraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): _____

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp 1
 flood plain 2
 plain level 3
 undulating 4
 hilly 5
 mountainous 6
 other (specify) 7

SITE (circle one)

level 1
 slope 2
 summit 3
 depression 4

STONINESS (circle one)

none 1
 low 2
 medium 3
 rocky 4

SOIL TEXTURE (circle one)

sand 1
 loam 2
 clay 3
 silt 4
 highly organic 5

DRAINAGE (circle one)

poor 1
 moderate 2
 good 3
 excessive 4

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 31
 COLLECTING INSTITUTE: Hort. Res. Inst., Giza
 DATE OF COLLECTION: 28 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Sohag

LOCATION OF COLLECTION SITE

nearest town/village: Akhmim-Alsalamoni
 distance (in Km): 10
 direction: North of Akhmim

LATITUDE OF SITE: 26° 30' (N) S
 LONGITUDE OF SITE: 31° 30' (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	(3)	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	(4)
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)

NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative 1 seed (2) both 3

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	(yes)	no
transplanted (circle one)	yes	(no)
terraced (circle one)	yes	(no)

SOWING MONTH: October

HARVEST MONTH: December

USAGE (specify): pickling

DISEASES AND PESTS (specify): no

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6

other (specify) (7) Nile Valley

SITE (circle one)

level	(1)
slope	2
summit	3
depression	4

STONINESS (circle one)

none	(1)
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	(2)
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	(3)
excessive	4

OTHER OBSERVATIONS: Local strain

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled inGENUS: BrassicaSPECIES: oleraceaSUBSPECIES: CabbageCOLLECTOR'S NUMBER: 25COLLECTING INSTITUTE: Hort.Res.Inst.,GizaDATE OF COLLECTION: 25 April, 1985COUNTRY OF COLLECTION: EgyptPROVINCE/STATE: Qena

LOCATION OF COLLECTION SITE

nearest town/village: Qena

distance (in Km): _____

direction: _____

LATITUDE OF SITE: 26° (N) SLONGITUDE OF SITE: 32° 30' (E) W

ALTITUDE OF SITE: _____ (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	3	institute	7
backyard	4	other (specify)	8
		seed shop	

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	4
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME: no (Balady)NUMBER OF PLANTS SAMPLED: unknownPHOTOGRAPH (circle one): yes (no)

Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	2	both	3
------------	---	------	---	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one) yes noirrigated (circle one) yes notransplanted (circle one) yes noterraced (circle one) yes no

SOWING MONTH: _____

HARVEST MONTH: _____

USAGE (specify): pickling + vegetable

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	7

SITE (circle one)

level	1
slope	2
summit	3
depression	4

STONINESS (circle one)

none	1
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	2
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strainSeed shop owner: Farouk Hazem Barsy

IBPGR COLLECTION FORM (GENERAL)

Descriptors in this column MUST be filled in

GENUS: Brassica
 SPECIES: campestris
 SUBSPECIES: turnip

COLLECTOR'S NUMBER: 7
 COLLECTING INSTITUTE: Hort.Res.Inst., Giza
 DATE OF COLLECTION: 24 April, 1985

COUNTRY OF COLLECTION: Egypt
 PROVINCE/STATE: Qena
 LOCATION OF COLLECTION SITE

nearest town/village: Qus/Gragose
 distance (in Km): 3 km
 direction: South of Qus

LATITUDE OF SITE: 26° (N) S
 LONGITUDE OF SITE: 33° (E) W
 ALTITUDE OF SITE: (m)

COLLECTION SOURCE (circle one)

wild	1	village market	5
farmland	2	commercial market	6
farmstore	<u>(3)</u>	institute	7
backyard	4	other (specify)	8

STATUS OF SAMPLE (circle one)

wild	1	primitive cultivar/landrace	<u>(4)</u>
weedy	2	advanced cultivar (bred)	5
breeder's line	3	other (specify)	6

LOCAL NAME no (Balady)NUMBER OF PLANTS SAMPLED: unknown

PHOTOGRAPH (circle one): yes (no)
 Photo number: _____

TYPE OF SAMPLE (circle one)

vegetative	1	seed	<u>(2)</u>	both	3
------------	---	------	------------	------	---

HERBARIUM SAMPLE (circle one): yes (no)

QUANTITY OF MATERIAL (number of seeds or plant samples): _____

Descriptors in this column SHOULD be filled in

CULTURAL PRACTICES:

shifting (circle one)	yes	no
irrigated (circle one)	<u>(yes)</u>	no
transplanted (circle one)	yes	<u>(no)</u>
terraced (circle one)	yes	<u>(no)</u>

SOWING MONTH: NovemberHARVEST MONTH: JanuaryUSAGE (specify): pickling

DISEASES AND PESTS (specify): _____

ASSOCIATED WILD AND WEEDY SPECIES AND CROPS

(specify): _____

TOPOGRAPHY (circle one)

swamp	1
flood plain	2
plain level	3
undulating	4
hilly	5
mountainous	6
other (specify)	<u>(7)</u> Nile Valley

SITE (circle one)

level	<u>(1)</u>
slope	2
summit	3
depression	4

STONINESS (circle one)

none	<u>(1)</u>
low	2
medium	3
rocky	4

SOIL TEXTURE (circle one)

sand	1
loam	<u>(2)</u>
clay	3
silt	4
highly organic	5

DRAINAGE (circle one)

poor	1
moderate	2
good	3
excessive	4

OTHER OBSERVATIONS: Local strainDiameter about 20 cm